

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1017	709/238.ccls.	USPAT	OR	OFF	2005/04/18 15:22
S2	372	709/239.ccls.	USPAT	OR	OFF	2004/08/08 23:25
S3	563	709/231.ccls.	USPAT	OR	OFF	2004/08/08 23:25
S4	599	709/232.ccls.	USPAT	OR	OFF	2004/08/08 23:25
S5	347	(data near4 stream) and ((RS-232 RS232) and (TCP TCP/IP))	USPAT	OR	OFF	2005/04/18 15:23
S6	2	(data near4 stream) with ((RS-232 RS232) and (TCP TCP/IP))	USPAT	OR	OFF	2004/08/16 18:33
S7	30	(data near4 stream) and ((RS-232 RS232) and (TCP TCP/IP)) and redirect\$6	USPAT	OR	OFF	2004/08/16 18:33
S8	1	(redirect\$6 near6 (data near4 stream)) and ((RS-232 RS232) and (TCP TCP/IP))	USPAT	OR	OFF	2004/08/16 18:37
S9	1	(redirect\$6 with (data near4 stream)) and ((RS-232 RS232) and (TCP TCP/IP))	USPAT	OR	OFF	2004/08/16 18:38
S10	1881	((reformat\$6 format\$6 packet\$6 repacket\$6) and ((RS-232 RS232) and (LAN TCP/IP TCP)))	USPAT	OR	OFF	2004/08/16 18:39
S11	222	((reformat\$6 format\$6 packet\$6 repacket\$6) same ((RS-232 RS232) and (LAN TCP/IP TCP)))	USPAT	OR	OFF	2004/08/16 18:39
S12	69	((reformat\$6 format\$6 packet\$6 repacket\$6) with ((RS-232 RS232) and (LAN TCP/IP TCP)))	USPAT	OR	OFF	2004/08/16 18:40
S13	4	("5220325"   "5371868"   "5526353"   "5563884").PN.	USPAT	OR	OFF	2004/08/16 18:53
S14	19	"6055224".URPN.	USPAT	OR	OFF	2004/08/16 18:54
S15	3	("5636217"   "5732074"   "6167285").PN.	USPAT	OR	OFF	2004/08/16 19:02
S16	2	"6452910".URPN.	USPAT	OR	OFF	2004/08/16 19:02
S17	52329	"709"/("238" "239" "231" "232").ccls.	USPAT	OR	OFF	2005/04/18 15:22
S18	490	(data\$6 near6 stream\$6) and ((RS-232 RS232) and (TCP TCP/IP))	USPAT	OR	OFF	2005/04/18 15:23
S19	188	S17 and S18	USPAT	OR	OFF	2005/04/18 15:24
S20	161	S19 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 15:33
S21	161	S20 and (defaul\$6 port\$6)	USPAT	OR	OFF	2005/04/18 15:25
S22	8	S20 and (defaul\$6 with port\$6)	USPAT	OR	OFF	2005/04/18 15:30

S23	2	((redirect\$6 direct\$6) same (default\$6 near6 port\$6) same (stream\$6))	USPAT	OR	OFF	2005/04/18 15:33
S24	676	((redirect\$6 direct\$6) and (default\$6 near6 port\$6) and (stream\$6))	USPAT	OR	OFF	2005/04/18 15:33
S25	628	S24 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 15:46
S26	161	S17 and S25	USPAT	OR	OFF	2005/04/18 15:44
S27	84	((RS-232) same (TCP\$6)) same port\$6)	USPAT	OR	OFF	2005/04/18 15:45
S28	69	S27 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 16:24
S29	59	S28 and (direct directs directed directing redirect redirects redirected redirecting)	USPAT	OR	OFF	2005/04/18 16:13
S30	26	S29 and stream\$6	USPAT	OR	OFF	2005/04/18 16:11
S31	26	S30 and (switch\$6 alternat\$6)	USPAT	OR	OFF	2005/04/18 16:11
S32	18	S30 and (switch\$6 and alternat\$6)	USPAT	OR	OFF	2005/04/18 16:11
S33	9	S30 and (switch\$6 with alternat\$6)	USPAT	OR	OFF	2005/04/18 16:12
S34	214	((RS-232) same (TCP\$6 IP\$6)) and (direct directs directed directing redirect redirects redirected redirecting)	USPAT	OR	OFF	2005/04/18 16:14
S35	30	((RS-232) same (TCP\$6 IP\$6) same (switch\$6)) and (direct directs directed directing redirect redirects redirected redirecting)	USPAT	OR	OFF	2005/04/18 16:22
S36	5	("6041116").URPN.	USPAT	OR	OFF	2005/04/18 16:19
S37	60	((transfer\$6 with data\$6) same (RS-232 same (TCP\$6 IP (inter\$6 near protocol\$6))))	USPAT	OR	OFF	2005/04/18 16:23
S38	47	S37 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 16:56
S39	19	("5835566").URPN.	USPAT	OR	OFF	2005/04/18 16:35
S40	33	("5638448").URPN.	USPAT	OR	OFF	2005/04/18 16:45
S41	48	((data\$6) and (default\$6 near4 port\$6)) and (RS-232\$6 and ((TCP IP (internet\$6 near protocol\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:00
S42	15	S41 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 17:00
S43	42	((transfer\$6) and (default\$6 near4 port\$6)) and (RS-232\$6 and ((TCP IP (internet\$6 near protocol\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:04
S44	12	S43 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 17:05

S45	1	((stream\$6) with (default\$6 near4 port\$6)) and (RS-232\$6 and ((TCP IP (internet\$6 near protocol\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:03
S46	1	((stream\$6) with (default\$6 near4 port\$6)) and (RS-232\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:03
S47	458	((transfer\$6) and (default\$6 near4 port\$6)) and (serial\$6 and ((TCP IP (internet\$6 near protocol\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:04
S48	128	((transfer\$6) and (default\$6 near4 port\$6)) and ((serial\$6 near2 port\$6) and ((TCP IP (internet\$6 near protocol\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:10
S49	44	S48 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 17:13
S50	26	S49 and stream\$6	USPAT	OR	OFF	2005/04/18 17:05
S51	10	((default\$6 near2 port\$6) with (serial\$6 RS-232)) and ((TCP IP (internet\$6 near protocol\$6) LAN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:13
S52	3	S51 and @ad<"20010301"	USPAT	OR	OFF	2005/04/18 17:13
S53	3	S51 and @ad<"20010301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:14
S54	10	((default\$6 near2 port\$6) with (serial\$6 RS-232)) and ((TCP IP (internet\$6 near protocol\$6) LAN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:16
S55	3	S54 and @ad<"20010301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 18:13
S56	17571	((port\$6) with (serial\$6 RS-232)) and ((TCP IP (internet\$6 near protocol\$6) LAN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 18:09

S57	9344	S56 and (data\$6 near4 (stream\$6 transfer\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:17
S58	4350	S57 and @ad<"20010301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:18
S59	2923	S58 and (switch switches redirect\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:19
S60	2494	S59 and send\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 17:20
S61	1866	((port\$6) with (serial\$6 RS-232)) and ((TCP IP (internet\$6 near protocol\$6 LAN)) and ((data\$6 near4 (stream\$6 transfer\$6)) with (send\$6 switches switch redirect\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 18:12
S62	45	S61 and (default\$6 near2 port\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 18:12
S63	14	S62 and @ad<"20010301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 18:13
S64	10	("6222840").URPN.	USPAT	OR	OFF	2005/04/18 18:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	199	((RS-232 serial) with (TCP IP (internet\$6 near protocol))) with port\$6 with (data\$6 stream\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 19:24
S2	68	S1 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:57
S3	4	("5659615"   "5835726"   "5991596"   "5995726").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/19 18:53
S4	16	("6160797").URPN.	USPAT	OR	OFF	2005/04/19 18:55
S5	262	((RS-232 serial) with ((local\$6 near area\$6) (LAN))) with port\$6 with (data\$6 stream\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:07
S6	143	S5 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 19:28
S7	1	(S1 S5 S6) and (kehne null wending).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 19:28
S8	106	((RS-232 serial) near4 port\$4) same ((local\$6 near area\$6) (LAN)) near4 port\$6) with port\$6 with (data\$6 stream\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:13
S10	64	S8 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:14
S11	58	((RS-232 serial) adj4 port\$4) same ((local\$6 near area\$6) (LAN)) adj4 port\$6) with port\$6 with (data\$6 stream\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:19
S12	35	S11 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:29

S13	2	((((RS-232 serial) adj2 port\$4) and ((local\$6 near area\$6) (LAN ethernet rj-45)) adj2 port\$6) with (data\$6 stream\$6) and (default\$6 near4 path\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:30
S14	5	((((RS-232 serial) adj2 port\$4) and ((local\$6 near area\$6) (LAN ethernet rj-45)) adj2 port\$6) with (data\$6 stream\$6) and (default\$6 adj4 (port\$6 path\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:28
S15	541	((send\$4 sent transmi\$6) near6 default\$6) same (another alternat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:29
S16	269	S15 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:02
S17	0	S16 and (((RS-232 serial) adj2 port\$4) and ((local\$6 near area\$6) (LAN ethernet rj-45)) adj2 port\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:01
S18	46	S16 and (((RS-232 serial)) and ((local\$6 near area\$6) (LAN ethernet rj-45)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:31
S19	102	(stream\$6 adj4 (node\$6 computer\$6 server\$6)) and (((RS-232 serial) adj2 port\$4) and ((local\$6 near area\$6) (LAN ethernet rj-45)) adj2 port\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:01
S20	41	S19 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:02
S21	8	("5321695"   "5337309"   "5355365"   "5377327"   "5532939"   "5572528"   "5654959"   "5745702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 11:10
S22	1	("6028984").URPN.	USPAT	OR	OFF	2005/04/20 11:11
S23	0	((request\$6 near4 (to and switch\$6)) with ((alter\$6 another\$6) near6 connection\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:57

S24	30	((request\$6 near4 (switch\$6)) with ((alter\$6 another\$6) near6 connection\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:02
S25	25	S24 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:05
S26	342	((request\$6 near8 (switch\$6 redirect\$6)) with (data\$5 stream\$6)) and ((alter\$6 another\$6) near6 connection\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:04
S27	207	S26 and @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:15
S29	68	S27 and ((user\$6 client\$6) adj4 request\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:16